(Autonomous)

## (ISO/IEC - 27001 - 2013 Certified) WINTER— 17 EXAMINATION

Subject Name: FMM <u>Model Answer</u> Subject Code: 17411

\_\_\_\_\_

### **Important Instructions to examiners:**

- 1) The answers should be examined by key words and not as word-to-word as given in the model answer scheme.
- 2) The model answer and the answer written by candidate may vary but the examiner may try to assess the understanding level of the candidate.
- 3) The language errors such as grammatical, spelling errors should not be given more Importance (Not applicable for subject English and Communication Skills.
- 4) While assessing figures, examiner may give credit for principal components indicated in the figure. The figures drawn by candidate and model answer may vary. The examiner may give credit for any equivalent figure drawn.
- 5) Credits may be given step wise for numerical problems. In some cases, the assumed constant values may vary and there may be some difference in the candidate's answers and model answer.
- 6) In case of some questions credit may be given by judgement on part of examiner of relevant answer based on candidate's understanding.
- 7) For programming language papers, credit may be given to any other program based on equivalent concept.

Question No.		Model Answer / Solution	
Q.	1	(a) Attempt any Six	12
	i)	1) <b>Specific Gravity</b> – It is the ratio of specific weight of fluid to the specific weight of water.	01
		OR	
		It is the ratio of mass density of fluid to the mass density of water.	
		2) <b>Kinematic Viscosity</b> – It is the ratio of dynamic viscosity to the mass density.	01
	ii)	<b>Positive gauge pressure</b> – when the pressure is measured above atmospheric pressure by an instrument is known as positive gauge pressure.	01
		<b>Negative gauge pressure</b> – when the pressure is measured below atmospheric pressure by an instrument is known as negative gauge pressure.	01
	iii)	<b>Steady flow</b> – The flow is said to be steady when flow parameters such as velocity pressure, density etc. remains constant with respect to time.	01
		Non Uniform flow – The flow is said to be non uniform when flow parameters such as velocity, pressure, density etc. varies from one section to another over a specified region at a particular instant.	01



(Autonomous)

(ISO/IEC - 27001 - 2013 Certified)

### **WINTER-17 EXAMINATION**

Subject Name: FMM <u>Model Answer</u> Subject Code: **17411** 

iv) 02 Arrangement is as shown in the figure Force exerted by jet along the direction of jet –  $F = \rho A (v-u)[(v-u)-0]$  $F = \rho A(v-u)^2 N$ where v - Velocity of jet m/s u – Velocity of plate m/s  $\rho$  – Mass density of water kg/m<sup>3</sup> A – area of jet m<sup>2</sup> d – Diameter of jet m Bernoulli's Theorem – It states that for a frictionless incompressible fluid flow flowing steadily v) in a continuous stream, the sum of velocity, pressure and elevation heads remains constant at every 02 section provided energy is neither added nor deleted from the system. vi) **Seperation** – It is hydraulic phenomenon which occurs in a flow of water through suction pipe or delivery pipe of a reciprocating pump. It occurs when the absolute pressure, during flow falls below the vapour pressure of water. a) For suction pipe – Hsep = Hatm – (Hs + Has) = 2.5 m of water absolute 02 b) For delivery pipe – Hsep = Hatm + (Hd - Had) < 2.5 m of water absolute. vii) Function of draft tube i) To decrease the pressure at the runner exit to a value less than atmospheric pressure and thereby increase the effective working head. 02 ii) To recover a part of electric energy into pressure head at the exit of draft tube. This enables easy discharge to atmosphere. **Need of Priming:** viii) A centrifugal pump is primed when the water ways of the pump are filled with the liquid to be pumped in order to replace the air, gas or vapour in the water ways. If it is not done then the vacuum which would be produced at the centre of the impeller would not be sufficient to suck the 02 water from the sump and set flow through suction pipe without Cavitation.

# Û

### MAHARASHTRA STATE BOARD OF TECHNICAL EDUCATION

(Autonomous)

(ISO/IEC - 27001 - 2013 Certified)

### **WINTER-17 EXAMINATION**

Subject Name: FMM <u>Model Answer</u> Subject Code: 17411

b.

### (b) Attempt any Two

i) Pressure given -2.5 bar

$$P = 2.5 \text{ bar} = 2.5 \text{ x } 100 \text{ kN/m}^2$$

### In terms of mercury column

 $P = w_{\rm Hg} \; x \; h_{\rm Hg}$  where  $W_{\rm Hg} - specific$  weight of mercury

$$w_{Hg} = 9.81 \text{ x } 13.6 = 133.416 \text{ kN/m}^2$$

Therefore  $2.5 \times 100 = 133.416 \times h_{Hg}$ 

$$h_{\rm Hg} = \frac{2.5 \times 100}{133.416} \ \textit{m} \ \text{of mercury}$$

02

 $h_{\text{Hg}} = 1.87 \text{ m of mercury}$ 

### In terms of water column

 $p = W_w x h_w$  where  $W_w$  - specific weight of water

$$W_w = 9.81 \text{ x } 1 = 9.81 \text{ kN/m}^3$$

Therefore  $2.5 \times 100 = 9.81 \times h_{w}$ 


 $h_w = 2.5 \times 100 / 9.81$ 

02

 $h_w = 25.48 \text{ m of water}$ 

ii)

Measurement of pressure less than atmospheric pressure is done by means of an U tube manometer as shown in figure.



02

The negative pressure in the pipe sucks the manometric fluid (Hg) in the left limb causing the liquid in the right limb to go more down correspondingly.



(Autonomous)

### (ISO/IEC - 27001 - 2013 Certified)

### WINTER-17 EXAMINATION

Subject Name: FMM **Model Answer** Subject Code: 17411

In equilibrium, pressure in left limb above XX = pressure in right limb above XX


$$P_1 = P_2$$

$$P_A + \rho_{1.}g.h_1 + \rho m.g.hm = \text{Patm} = \text{O N/m}^2$$

02

Pressure head  $\frac{p_A}{p_1g} = -\left[\frac{p_m}{p_1}hm + h_1\right]$  m of fluid in pipe.

iii) iii) Hydraulic gradient line and total energy line -



02

Hydraulic Gradient line (HGL)- It is the graphical representations of the longitudinal variation in piezometric head at salient points of a pipe line.

01

Total hydraulic gradient =  $P/\rho.g + z$ 

Total Energy Line (EGL) - It is the graphical representations of longitudinal variation in total head at salient points of pipe line.

01

Total Energy Head =  $P/\rho.g + v^2/2g + z$ 

These lines are as shown in the figure above.



(Autonomous) (ISO/IEC - 27001 - 2013 Certified)

### WINTER- 17 EXAMINATION

2	a	Attempt any Four		
		Difference between simple manometer and di	ifferential manometer -	04
		•		
		Simple manometer	Differential manometer	
		1)	PAI hm 2 x 1	
		2) It measures fluid pressure at a point in a pipe	It measures the difference of fluid pressure between two points in a pipe.	
		3) It hardly measures negative pressure with due care.	Negative pressure can be measured accurately.	
		4) It is accurate	It is more accurate.	
	b	Inlet a Mercu	outlet	04
		Venturimeter: A constructional detail of	F Venturimeter is as shown in the fig. It is used for	

# Ú

### MAHARASHTRA STATE BOARD OF TECHNICAL EDUCATION

(Autonomous)

(ISO/IEC - 27001 - 2013 Certified)

### WINTER-17 EXAMINATION

Subject Name: FMM Model Answer Subject Code: 17411

measuring discharge from pipe.

### **Discharge Through Venturimeter**

Let  $P_1$  – Pressure at section 1 ...... $N/m^2$ 

V<sub>1</sub> – Velocity of liquid at section 1 ....m/s

 $Z_1$  - Elevation head section 1 ....m

 $A_1$  – Area of venturimeter at section 1 .... $m^2$ 

 $P_2$ ,  $V_2$ ,  $Z_2$ ,  $A_2$  = corresponding values at section 1

Applying Bernoulli,s Theoram at section 1 & 2 and neglecting losses.

$$\frac{V1^2}{2g} + \frac{P_1}{pg} + Z_1 = \frac{V2^2}{2g} + \frac{P_2}{pg} + Z_2 \dots$$
 of liquid

OR

$$\frac{V2^2 - V1^2}{2g} = \left[\frac{p_1}{pg} + Z_1\right] - \left[\frac{p_2}{pg} + Z_2\right] = Hpiz \quad ---- (1)$$

Where  $H_{\text{piz}}$  – Differential piezometeric head between 1 and 2.

From continuity equation

$$Q = A_1 V_1 = A_2 V_2$$

$$V_1 = \frac{A_2}{A_2} V_2$$

Substituting for  $V_1$  in equation (1)

$$\frac{V2^2}{2g} \left[ \frac{A1^2 - A2^2}{A1^2} \right] = H_{piz} \ V_2 = \frac{A_1}{\sqrt{A1^2 - A2^2}} \sqrt{2gH_{pig}}$$

Discharge through pipe

Q<sub>Th</sub> – Theoretical discharge


$$QTh = \frac{A_{1}A_{2}}{\sqrt{A1^{2} - A2^{2}}} \sqrt{2gH_{piz}} m^{3}/s$$

OR Actual discharge Qact =  $C_d \times Q_{Th}$  where  $C_d$  – Coefficient of discharge.

Subject Name: FMM **Model Answer** Subject Code: 17411

c)

Velocity of jet V = 20 m/sVelocity of vane u = 8 m/s



In the problem value of angle of deflection y is not given. So assuming the value of y as 160<sup>0</sup> numerical has been solved.

The value of  $\theta$  i.e. angle made by tip of vane at outlet as

$$\theta = 180 - \gamma = 180 - 160$$
 =  $20^{\circ}$ 

01

Assuming the diameter of nozzle as 30 mm

Force exerted by the jet on vane

$$Fx = Pa (v - u)^2 (1 + cos\theta)$$

02

= 
$$1000 \times \frac{\pi}{4} (30/1000)^2 (20 - 8)^2 [1 + \cos 20^0]$$

Fx = 197.266 N

Work done 
$$W = Fx \times u = 197.266 \times 8$$

$$W = 1578.128 Watt$$

01

d.

Coefficient of friction = f = 0.008

Loss of head due to friction = hf = 20m

From Darcy's formula we have

$$hf = \frac{4fLV^2}{2gD}$$



(Autonomous)

### (ISO/IEC - 27001 - 2013 Certified)

WINTER- 17 EXAMINATION

Subject Name: FMM <u>Model Answer</u> Subject Code: 17411

where hf - loss of head due to friction

f - coefficient of friction

L – Length of pipe

V- Velocity of pipe

D – Diameter of pipe

By putting respective values

$$20 = \frac{4 \times 0.008 \times 5000 \times V^2}{2 \times 9.81 \times D}$$

OR

Velocity  $V = \frac{Q}{A} = \frac{Q}{\pi} / 4D^2$ 

$$= \frac{4Q}{\pi D^2}$$

$$20 = \frac{4 \times 0.008 \times 5000 \times (4Q)^2}{2 \times 9.81 \times D \times \pi^2 \times D^2}$$

$$= \frac{4 \times 0.008 \times 5000 \times 16 \times (0.016)^2}{2 \times 9.81 \times D \times (3.14)^2 \times D^4}$$

$$= \frac{0.655}{193.44D^5}$$

$$20 = \frac{0.0033}{D^5}$$

$$D^5 = 0.000165$$

03

01

$$D=0.175\,Meter \qquad D=175\,mm$$

-----

e.

Minor Losses –

1) Loss due to sudden expansion

$$h_{exp} = \frac{(v_1 - v_2)^2}{2g}$$

Any four

04




Autonomous)

(ISO/IEC - 27001 - 2013 Certified)

### **WINTER-17 EXAMINATION**

Subject Name: FMM <u>Model Answer</u> Subject Code: 17411


2) Loss due to sudden contraction –



$$h_{con} = \left[\frac{1}{C_c} - 1\right]^2 \frac{V_2^2}{2g}$$

Where Cc – Coefficient of contraction

3) Losses due to bends, elbows, tees and other fittings





$$h_{\text{fitting}} = K \frac{v^2}{2g}$$
 m of fluid.

Where K- constant and its value depends pon type of pipe fitting e.g.

K = 0.35 to 0.45 for  $45^0$  bend


 $= 0.5 \text{ to } 0.75 \text{ for } 90^0 \text{ bend etc.}$ 



### **WINTER-17 EXAMINATION**


Subject Name: FMM Model Answer Subject Code: 17411

4) Entrance loss – tank to pipe.



$$h_{ent}-0.5\frac{V^2}{2g}$$
m of fluid

5) Exit – Pipe to tank



 $h_{exit} = V^2/2g$  m of fluid.

f.




Figure shows arrangement of different fluid according to the data given in the problem.

Pressure due to  $air - 4 \text{ kg/cm}^2$ 

- 4 bar
- $-4 \times 100 \text{ kN/m}^2$

01

utonomous)

### (ISO/IEC - 27001 - 2013 Certified)

### **WINTER-17 EXAMINATION**

Subject Name: FMM <u>Model Answer</u> Subject Code: 17411

In the problem the gauge pressure given as 4kg/cm<sup>2</sup>. should have been the pressure due to air and accordingly problem is solved.

Pressure at the bottom of tank =

 $P_{bottom} = Pair + Poil + Pwater + Pmercury$ 

 $= 4 \times 100 + 2.5 \times 0.8 \times 9.81 + 1.5 \times 9.81 + 0.5 \times 9.81 \times 13.6 = 501.043 \text{ kN/m}^2$ 

Pressure at the bootom of the Tank  $P_{bottom} = 501.043 \text{ kN/m}^2 \text{ gauge.}$ 

03

### 3. (a) Explain the concept of cavitation in turbines.

- Cavitation is defined as the phenomenon of formation of vapour bubbles of a flowing liquid.
- Cavitation occurs when the pressure in any condition falls below the vapour pressure.
- While passing through hydraulic turbine water comes in a region where its pressure falls below vapour pressure. At this point vapour bubbles are formed.
- This can happen at the outlet of the turbine, inlet of pump, bend of pipe or convex surface of curved vanes.
- The vapour bubbles travel along with the liquid and on reaching in region of high pressure, suddenly collapse creating a vacuum in the place.

Marks

- Collapsing of bubbles produce very high pressure which causes damage in the blades of runner and draft tube, etc.
- It causes small pits cavities to be formed on inside surface. This action is known as pitting.
- Cavitation reduces efficiency of turbine and hence it is not desirable.

Given: D=Diameter of Bucket=1m

Pressure at Nozzle=15Bar

**Q=Discharge=** $3.5 \text{ m}^3/60=0.058 \text{ m}^3/\text{s}$ 

N=600 RPM,

3

**(b)** 

 $u=(\pi DN/60)=(3.14\times1\times600)/60=31.41 \text{m/s}$ 

 $C_v = 0.98$ ,  $\eta_o = 85\%$ 

**To find:** Power developed and Hydraulic Efficiency.



## (Autonomous) (ISO/IEC - 27001 - 2013 Certified)

### **WINTER-17 EXAMINATION**

		<b>Solution</b> : As the bucket is semi circular= $\Phi = 0^0$	
	]	Head of Nozzle=(H)=(Pressure at the Nozzle)/(Specific weight of water)	
		$=(15\times10^5)/(9810)$	
	]	Head of Nozzle =152.905 m	
	•	Velocity of Jet $(V_1) = C_V \times \sqrt{2gH}$	
	•	<b>Velocity of Jet</b> (V <sub>1</sub> ) = $0.98 \times \sqrt{2 \times 9.81 \times 152.905}$	
	•	Velocity of Jet $(V_1) = 53.67 \text{m/s}$	
	1	1) <b>Power Developed P</b> = $\eta_0 \times W \times Q \times H$	
		=0.85×9810×0.058×152.91	
		=73.95Kw.	2N
	2	2) Hydraulic efficiency $\eta_h = \{ [2(V_1-u)(1+\cos\Theta)\times u]/[V^2] \}$	
		={ $[2(53.67-31.41)(1+\cos 0^0)\times 31.41]/[53.67^2]$ }	23
		$ \eta_{\rm h} = 0.9709 = 97.09\% $	2N
3	(c)		
		Explain with neat sketch construction and working of Francis Turbine	
	'	Construction:	2 N
		The main parts of the Francis turbine are:	
		1) <b>Penstock:</b> It is the large pipe which conveys water from the upstream of the reservoir to the turbine runner.	
		2) <b>Spiral Casing:</b> It is a closed passage whose cross sectional area gradually decreases	
		along the flow direction. Area is maximum at the inlet and nearly zero at the outlet.	
		3) <b>Guide Vanes:</b> These vanes direct the water onto the runner at an angle appropriate to	
		the design.	




(Autonomous) (ISO/IEC - 27001 - 2013 Certified)

### **WINTER-17 EXAMINATION**

Subject Name: FMM <u>Model Answer</u> Subject Code: 17411

and reaction effect. The number if a runner blade usually varies between 16 and 24.

5) **Draft tube:** It is gradually expanding tube which discharges the water passing through the runner to the tail race.



1 M




Fig. Francis Turbine

### **Working:**

1 M

- It is inward mixed flow reaction turbine i.e. Water under the pressure enters the runner from the guide vanes towards the centre in the radial direction and discharge out axially.
- 2) It operates under the medium head and medium discharge.
- 3) Water is brought down to the turbine through the penstock and directed to the guide vanes which direct the water onto the runner at an angle appropriate to the design.
- 4) In the Francis turbine runner is always full of water.
- 5) After doing the work the water is discharge to the trail race through the draft tubes.

\_\_\_\_\_

# MAHARASHTRA STATE BOARD OF TECHNICAL EDUCATION (Autonomous) (ISO/IEC - 27001 - 2013 Certified)

### **WINTER-17 EXAMINATION**

3	<b>d</b> )	<b>Given</b> : d=diameter of jet=7.5cm=0.075m		
		V=Velocity of Jet=20m/s		
		U=Velocity of plate=8m/s		
		Angle of Deflection=165 <sup>0</sup>		
		$\Theta$ =180- Angle of Deflection=180-165=15 <sup>0</sup>		
		<b>To find:</b> 1) Force on the plate		
		2) Efficiency of the jet		
		Solution:1)Force exerted by jet on the plate		
		$F_x = \rho a (V - u)^2 (1 + \cos \Theta)$		
		$a=(\pi/4)\times(0.075)^2=4.417\times10^{-3} \text{ m}^2$		
		$F_x=1000\times4.417\times10^{-3}\times(20-8)^2(1+\cos 15)$		
		$F_x=4.417\times(12)^2(1+\cos 15)$		
		$F_x=1250.67$ N	2 M	
		2) Efficiency of jet		
		Efficiency of jet = (Work done by jet /sec)/(Kinetic energy of jet/sec)		
		$= F_x \times u$		
		Kinetic energy of jet/sec = $1/2 \times (\rho a V^3)$		
		Efficiency of jet =(Work done by jet /sec)/(Kinetic energy of jet/sec)		
		$=(1250.67\times8)/[1/2\times(1000\times4.41\times10^{-3}\times20^{3})]$		
		η =0.567=56.7%	2 M	
3.	(e)	Explain the concept of surface tension.		
		Following figure shows the two molecules of liquid at point A and B.		
				1
		Liquid level		Marks
		= =		
		Fig. Intermolecular forces near a liquid surface		
		Page <b>14</b> of <b>27</b>		

(Autonomous)

### (ISO/IEC - 27001 - 2013 Certified)

### WINTER-17 EXAMINATION


Subject Name: FMM <u>Model Answer</u> Subject Code: 17411

• Molecule at point 'A' is in equilibrium condition. So molecule at 'A' is equally attracted from all sides. But at point 'B' there is no liquid molecule at above side and consequently there is a net downward force on the molecule due to attraction of the molecule below it. This force on the molecules at the surface of liquid is normal to the liquid surface, due to this a special layer seems to form on liquid at the surface, which is in tension and small load can be supported over it.

03 M

• This property of liquid surface film to exert the tension is called 'Surface tension'. OR Surface tension is defined as the force required to maintain unit length of the film in equilibrium condition. It is denoted by ' $\sigma$ ' (sigma).

3 (f)



Autonomous)

(ISO/IEC - 27001 - 2013 Certified)

### WINTER-17 EXAMINATION

Subject Name: FMM

**Model Answer** 

Subject Code: **17411** 

Given: Ocameter of Circular plate, d=1mAngle made by plate with horizontal,  $a=30^{\circ}$ ... Area,  $=\frac{11}{4}d^2=\frac{11}{4}\times(1)^2=0.7854$  m<sup>2</sup>

Distance DC = 1.25m , BC = 1m , GC = 1.25m

Distance of C. q. from free surface,  $\overline{h} = CD + GC \sin \phi = 1.25 + 1.25 \sin 30^{\circ}$   $\therefore \overline{h} = 1.875 \text{ m}$ 

(i) Total pressure (F), F = gg + h  $= 1000 \times 9.81 \times \frac{\pi}{4} \times (1)^{2} \times 1.875$   $\therefore F = 14.4464 \times 10^{3} \, \text{N} \quad 82 \quad 14.4464 \, \text{KN}$ 

1 Mark

1 Mark

(ii) Centre of pressure (h\*),

Using equation, we have  $h^* = \frac{I_4 \sin^2 0}{A\overline{h}} + \overline{h}$ where,  $I_4 = \frac{T}{64} d^4 = \frac{T}{64} \times (1)^4 = 0.04909 \text{ m}^4$ 

 $h^* = \frac{0.04909 \times (\sin 30)^2}{0.7854 \times 1.875} + 1.875$ 

2 Marks

:. h\* = 1.8833 m



Autonomous)

(ISO/IEC - 27001 - 2013 Certified)

### WINTER-17 EXAMINATION

Subject Name: FMM <u>Model Answer</u> Subject Code: **17411** 

4. (a) State the necessity of the draft tube in reaction turbine. State and draw the sketches of different types of draft tubes.

A draft tube is necessary in reaction turbine for the following reasons,

- 1. By providing draft tube, it is possible to install the turbine above the tail race without loss of head. This makes the inspection and maintenance of turbine easy.
- 2. By providing draft tube, the velocity is largely reduced at the exit of draft tube. Thus the kinetic head is gained.

### Types of draft tube:

- i. Conical draft tube
- ii. Simple elbow draft tube
- iii. Moody spreading draft tube
- iv. Elbow draft tube with circular cross section at inlet and rectangular at outlet




Fig. Types of draft tubes

4 Marks

2 Marks


2 Marks

### WINTER- 17 EXAMINATION

Subject Name: FMM

**Model Answer** 

Subject Code: 17411



(Autonomous) (ISO/IEC - 27001 - 2013 Certified)

### WINTER- 17 EXAMINATION

	Sub	<b>iject Name: FMM</b> Model Answer  Subject Code: <b>17411</b>	
4.	(c)	Submersible Pumps	
	(i)	• A submersible pump as the name indicates consists of electric motor and pump both submerged in the water.	3 Marks
		By submerging electric motors, pumps, large economy can be made by avoiding long shaft, large number of bearings, and large sized rising main, etc.	
		The complications due to thrusts are also avoided.	
		• As it is a submersible pump, the only problem is to prevent the motor windings and the other electrical connections to be spoiled by water coming in contact.	
		• For this purpose a special protection by suitable type of insulation is provided to prevent the water flow inside.	
		• These pumps are vertical centrifugal pumps with radial or mixed flow impellers. All the metallic bearings are water lubricated and protected against the sand.	
		• A non-return valve is fitted to a flange at the top of the pump.	
		• The suction housing of pump is situated between the pump and motor and provided with a performed strainer.	
		• Motor of the submersible pumps are wet squirrel cage type and are completely filled with water. Thrust bearings are provided for absorbing the axial thrust.	
		• The pump shaft is connected to motor shaft by muff coupling. Gate valve is provided at the top of the pump as a non-return valve to discharge the water.	
		The total efficiency of these pumps is superior to conventional deep well pumps at much cheaper costs.	



(Autonomous)

(ISO/IEC - 27001 - 2013 Certified)

### **WINTER-17 EXAMINATION**

Subject Name: FMM <u>Model Answer</u> Subject Code: 17411

Supporting frame

Pump

Suction pipe

Strainer with foot valve

Fig. Submersible Pump

(ii)

### **Jet Pumps**

- A jet pump, in its simplest form, consists of a pipe having a convergent end at its bottom.
- The upper end of the pipe leads to required height. Now steam or sometimes water under a high pressure is introduced through a nozzle as shown in the fig.

3 Marks

1 Mark

- The pressure energy of the steam is converted into kinetic energy, as it passes through the nozzle.
- As a result of this, the pressure in convergent portion of the pipe is considerably reduced and water is sucked into the pipe.

(Autonomous) (ISO/IEC - 27001 - 2013 Certified)

### WINTER- 17 EXAMINATION

	• The sucked water after coming in contact with the jet is carried into the delivery pipe.	
	Here the kinetic head of the water is converted into pressure head, which forces the water into the delivery pine.	
	into the delivery pipe.	
	• It is used for lifting water for boilers.	
	Steam or water  From sump  Fig. Jet Pump	1 Mark
Q.5	Attempt any FOUR of the following	16
a)	i) <b>Manometric Efficiency</b> $(\eta_{man})$ :-It is the ratio of the Manometric head to the head imparted by the impeller to the water is known as Manometric efficiency.	1M
	$(\eta_{man}) = \frac{\text{Manometric head}}{\text{Head imparted by the impeller to water}}$	
	ii) <b>Static Head (H)</b> :-The sum of Suction Head and Delivery Head is called Static Head.	1M
	H = Hs + Hd	
	iii) Mechanical Efficiency $(\eta_m)$ :-It is the ratio of power available at the impeller to the power at the shaft of the centrifugal pump is known as mechanical efficiency.	1M



# MAHARASHTRA STATE BOARD OF TECHNICAL EDUCATION (Autonomous) (ISO/IEC - 27001 - 2013 Certified)

### **WINTER-17 EXAMINATION**

		$(\eta_{\rm m}) = \frac{Power\ at\ the\ impeller}{Power\ ab\ ab\ ab\ ab}$	
		Power at the shaft	
		iv)Neat Positive Suction Head(NPSH):-NPSH is the absolute pressure head at inlet to pump	
		minus vapour pressure head (In absolute units) plus velocity head.	1M
		NPSH= (Absolute pressure head at inlet)-(Vapour Pressure head)+(Velocity Head).	
b)		<b>Air Vessels:-</b> An air vessel is a closed chamber containing compressed air in the top portion and liquid (Or water) at the bottom of chamber.	2M
		An air vessel is fitted to suction pipe and to the delivery point at a point close to cylinder of a single acting reciprocating pump.	
		Functions of Air vessel:	
		i) To obtain a continuous supply of liquid at uniform rate.	
		ii) To save a considerable amount of work in overcoming the frictional resistance in suction and delivery pipe.	2M
		iii) To run the pump at high speed without separation.	
	c)	Types of impellers i)Closed or Shrouded ii)Open iii)Semi Open	1M
		i)Closed or Shrouded ii)Semi open iii)Open	2M
		Applications:	
		i)Closed or Shrouded :-Liquid to be pumped is pure and relating free from debris	
		ii)Open :- Liquid to be pumped is impure and Containing small amount ofdebris	1M
		iii)Semi open:- Liquid to be pumped containing suspended solid matter like paper pulp, sewage, water containing sand etc	
	d)	i) Laws of fluid friction for Turbulent Flow	
		<ul> <li>Frictional resistance is proportional to square of velocity of flow.</li> <li>Frictional resistance is independent of pressure.</li> <li>Frictional resistance slightly varies with change in temperature of fluid.</li> </ul>	2M



## (Autonomous) (ISO/IEC - 27001 - 2013 Certified)

### WINTER- 17 EXAMINATION

	Frictional resistance is proportional to density of fluid flow.	
	ii) Darcy's equation for frictional losses is given by, $h_f = \frac{4fLV^2}{2gD}$	2M
	$h_f$ = Head loss due to friction, 4f=F=Friction factor, f =coefficient of friction,	
	V=velocity of flow, L=length of pipe, D= Diameter of pipe	
e)	Pitot Tube:	2M
	It is a device used for measuring velocity of flow at any point in a pipe or channel.	
	Principle:- If the velocity of flow at any point becomes zero, the pressure there is increased due to conversion of Kinetic energy into pressure energy.	
	It is the glass tube with lower end of tube bent at $90^{\circ}$ and is directed in upstream direction. The liquid rises up in the tube due to conversion of kinetic energy into pressure energy.	
	$V = C_v \sqrt{2gh}$	
	V= velocity of flow, $C_v$ = Coefficient of velocity, h= Dynamic Pressure head	1M
		1M
	Fig. Pitot tube	
f)	Diameter of smaller pipe, $D_1$ =30cm=0.3m	
	Area = $A_1 = \frac{\pi}{4} D_1^2 = \frac{\pi}{4} 0.3^2 = 0.070685 \ m^2$	
	Diameter of larger pipe, $D_2$ =40cm=0.4m	13.4
	Area= $A_2 = \frac{\pi}{4}D_2^2 = \frac{\pi}{4}0.4^2 = 0.12564m^2$	1M
	Discharge, Q=300 Lit/Sec = $0.3m^3$ /Sec	
	Velocity, $V_1 = \frac{Q}{A_1} = \frac{0.3}{0.070685} = 4.244 \text{ m/sec}$	1M



# MAHARASHTRA STATE BOARD OF TECHNICAL EDUCATION (Autonomous) (ISO/IEC - 27001 - 2013 Certified)

### **WINTER-17 EXAMINATION**

		Velocity, $V_2 = \frac{Q}{A_2} = \frac{0.3}{0.12564} = 2.3877 \text{ m/sec}$	
		Velocity of head due to enlargement is given by $=\frac{(v_1-v_2)^2}{2g}$	
		$= \frac{(4.244 - 2.3877)^2}{2g} = 0.1756 \text{ m of water}$	2M
Q6		Attempt any TWO of the following	16
a)	i)	<b>Impact of Jet:</b> - The stream of water leaving from a nozzle fitted at the end of water carrying pipe with high velocity and strikes on the blades of runner called as impact of jet.	2M
		Conversion of Hydraulic energy into Mechanical Energy:- The water is stored in a reservoir containing tremendous potential energy. This water then carried by penstock (Pipe) to the inlet of turbines. At the end of penstock a nozzle is fitted that creates higher velocity jet water. As per the Newton's Second Law of motion, the rate of change in momentum exerts a force on blades of runner. Then due to this force runner will rotates where we get the mechanical energy as an output.	2M
	ii)	Hydroelectric Power Plant:	2M
		i) Dam (Reservoir):- It is water reservoir generally constructed over the river it contains lot of potential energy.	
		ii) Penstock: - Pipes of large diameters called penstock, which carries water under high pressure from storage reservoir to the turbines. These pipes are made of steel or reinforced concrete.	
		iii) Turbines:- These are the wheels on which number of vanes are fitted and converts hydraulic energy to mechanical energy.	
		iv) Tail race:- It is the channel which carries water away from turbines after the water has worked on turbines. The surface of water in the tail race is also known as tail race.	
		v) Surge tank:-It is the tank provided in the path of penstock to avoid pulsating discharge at inlet of turbines. During flow of water from reservoir to turbine through penstock pressure surges are created to compensate these surges surge tank is provided.	



(Autonomous) (ISO/IEC - 27001 - 2013 Certified)

### **WINTER-17 EXAMINATION**

**Subject Name: FMM** 

**Model Answer** 

Subject Code: 17411

	$H = H_g - h_f$	2M
	DAM  PENSTOCK  TURBINE  NET  HEAD  NOZZLE  TAIL RACE	
	Layout of Hydraulic Power plant	
b) i	i) Diameter of orifice= $d_0$ =12 cm = 0.12 m	
	Area = $a_0 = \frac{\pi}{4} d_0^2 = \frac{\pi}{4} 0.12^2 = 0.0113 m^2$	
	Diameter of pipe = $\mathbf{d_1}$ = 20 cm = 0.20 m	
	Area = $a_1 = \frac{\pi}{4} d_1^2 = \frac{\pi}{4} 0.2^2 = 0.0314 m^2$	1M
	$P_1 - P_2 = 9.81 \text{ N/c} m^2 = 9.81 \text{ x} 10^4 \text{N/m}^2$	11VI
	$h = \frac{P_1}{\rho g} - \frac{P_2}{\rho g} = \frac{9.81 \times 10^4}{1000 \times 9.81} = 10 \text{ m of water}$	1M
	$C_d = 0.6$	
	Actual Discharge	
	$Q = C_d \frac{a_0 a_1}{\sqrt{a_1^2 - a_0^2}} \sqrt{2gh} = 0.6 \frac{0.0113x \ 0.0314}{\sqrt{0.0314^2 - 0.0113^2}} \sqrt{2x \ 9.81x10}$	
	$= 0.1017  m^3 / sec = 101.7  lps$	2M
i	ii) Water stream Velocity, V=2.3 m/sec,	
	Reading of manometer = $30cm = 0.30m$	
	$h = x \left(\frac{s_m}{s_w} - 1\right) = 0.30 \left(\frac{13.6}{1} - 1\right) = 0.30x \ 12.6 = 3.78m \ of \ water$	2M
	$V=C_v\sqrt{2gh}$	



(Autonomous) (ISO/IEC - 27001 - 2013 Certified)

### WINTER- 17 EXAMINATION

	$2.3 = C_v \sqrt{2x \ 9.81x3.78}$	2M
		2111
	Coefficient of Velocity, $C_v$ =0.267	
c)	Explanation of effect of friction and acceleration head on indicator diagram	
	The pressure head in cylinder during suction and delivery strokes changes as follows:	
	i) At beginning of suction stroke, $\theta = 0^0$ hence $h_{as}$ from equation is equal to $\frac{l_s}{g} \times \frac{A}{a_s} \omega^2 r$	
	But $h_{fs} = 0$ . Thus the pressure head in cylinder will be $(h_s + h_{as})$ below atmospheric pressure head.	
	ii) At middle of suction stroke, $h_{as} = 0$ , but $h_{fs} = \frac{4 f l_s}{d_s 2g} (\frac{A}{a_s} \omega r)^2$ thus the pressure head in cylinder	
	will be $(h_s + h_{fs})$ below atmospheric pressure head.	
	iii) At the end of suction stroke, $h_{as} = -\frac{l_s}{g} \times \frac{A}{a_s} \omega^2 r$ but $h_{fs} = 0$ . Thus the pressure head in cylinder will	
	be $(h_s - h_{as})$ below atmospheric pressure head.	
	iv) At beginning of delivery stroke, $h_{ad} = \frac{l_d}{g} \times \frac{A}{a_d} \omega^2 r$ . But $h_{fd} = 0$ . Thus the pressure head in	
	cylinder will be( $h_d + h_{ad}$ ) above atmospheric pressure head.	
	v) At middle of delivery stroke, $h_{ad}=0$ , but $h_{fd}=\frac{4fl_d}{d_d 2g}(\frac{A}{a_d}\omega r)^2$ thus the pressure head in cylinder	
	will be $(h_d + h_{fd})$ above atmospheric pressure head.	23.6
	vi) At the end of delivery stroke, $h_{ad} = -\frac{l_d}{g} \times \frac{A}{a_d} \omega^2 r$ . But $h_{fd} = 0$ . Thus the pressure head in	3M
	cylinder will be $(h_d - h_{ad})$ above atmospheric pressure head.	
	The indicator diagram with acceleration and friction in suction and delivery pipes is	
	Area of indicator diagram A'GB'C'HD'= Area of A'G'B'C'H'D'+	
	Area of Parabola A'GB'+ Area of Parabola C'HD'	
	But Area of A'G'B'C'H'D'=Area ABCD= $(h_s + h_d)$ x L	
	Area of Parabola A'GB'=A'B' $x = \frac{2}{3} \times G'I = \frac{2}{3} \times (A'B' \times G'I) = \frac{2}{3} \times (AB \times GG')$	
	$= \frac{2}{3} \times L \times h_{fs}$	
	Similarly, Area of Parabola C'HD' = $\frac{2}{3}$ xL x $h_{fd}$	



(Autonomous)

### (ISO/IEC - 27001 - 2013 Certified)

### **WINTER-17 EXAMINATION**

Subject Name: FMM Model Answer Subject Code: 17411

Area of indicator diagram=  $(h_s + h_d) \times L + \frac{2}{3} \times L \times h_{fs} + \frac{2}{3} \times L \times h_{fd}$ 

$$= (h_s + h_d + \frac{2}{3} h_{fs} + \frac{2}{3} h_{fd}) \times L$$

We know that work done by pump is proportional to area of indicator diagram.

Work done by pump per second  $\alpha (h_s + h_d + \frac{2}{3} h_{fs} + \frac{2}{3} h_{fd}) \times L$ 


3M

$$= KL(h_s + h_d + \frac{2}{3}h_{fs} + \frac{2}{3}h_{fd})$$

K = Constant of Proportionality =  $\frac{\rho g LAN}{60}$  ... For single acting Reciprocating compressor

Work done by pump per second for single acting =  $\frac{\rho g LAN}{60} (h_s + h_d + \frac{2}{3} h_{fs} + \frac{2}{3} h_{fd})$ 

2M



Effect of Acceleartion and Friction on Indicator Diagram